


Boston Medical Library in the Francis A. Countway Library of Medicine ~ Boston

Digitized by the Internet Archive in 2011 with funding from Open Knowledge Commons and Harvard Medical School







THE

# NEW METHOD OF CURING THE

## VENEREAL DISEASE,

IN A FEW DAYS,

WITHOUT

INTERNAL MEDICINES;

AND THE

DESCRIPTION

OF A

NEW INVENTED INSTRUMENT

FOR THIS PURPOSE.

THE THIRD EDITION.

By WILLIAM ROWLEY, SURGEON to St. John's Hospital.

#### LONDON:

Printed for F. Newbery, No. 20, the Corner of St. Paul's Church Yard. 1772.

[Price One Shilling.]

22591Bi

# PREFACE.

Have been induced to pub-lish the following Method of treating the violent Gonorrhœa, from the ill confequences arising from the common Methods of Cure; I am very fensible of the great Improvements which have been made by many ingenious Surgeons, in reducing this Disease to a much milder Treatment than was formerly practifed; but still there is room for Improvement in this, as well as other

other Branches of Surgery. If what is advanced in the following Sheets (which is founded on Facts, and is the Refult of practical Observation) meets with the Approbation of Men of Candour, and proves of Service to Mankind, it will give me infinite Satisfaction.

Coastle Atmost

ST. JAMES'S STREET.

Leicestero hichel

2259/Bi

An

# An ESSAY, &c.

not attempt to explain how the infection is communicated, but shall leave that and other speculative enquiries to those Authors who have treated largely on the subject. I shall confine myself to the best practical method of relieving the patient when infected, and shall immediately begin with the symptoms of a recent or fresh contracted Gonorrhea.

The first symptom observable in a fresh Gonorrhæa or Clap, is commonly an agreeable sensation in the whole, or greatest part of the urinary passage.

At

At this time none, or scarce any discharge is discernible on the linen; yet this symptom is most probably occafioned by a discharge, though not sufficient in quantity to erode or deflroy the mucus, which defends the passage from the saline particles of urine in its passing. As the quantity and virulence of the discharge increase, the effects of the infection of course begin to be more attended to. Spots are observable on the linen, the edges of which appear of a darker colour than in the center; and this dark margin is a principal mark to distinguish the venereal from discharges arising from other caufes.

The mucus now abraded, or perhaps not furnished from the inflammation of its secretory ducts, the urethratis exposed, and probably excoriated. Hence, at this time, is selt a violent pain

pain and smarting in the evacuation of urine. Another symptom is the Chordee, or painful erection, which chiefly afflicts the patient at night, and the external edge of the urinary passage appears inflamed.

These are the most common symptoms of the disease, but differ remarkably with respect of violence in different constitutions. For in patients of thin habits, I have generally observed them, as well as the cure, more troublesome and difficult than in fat and plethoric people. It must be remembered then, that it is in the foregoing state of the disease, and no other, that I recommend the following meethod of treatment.

I shall not attempt to refine, as some have done, in dividing this disease into a number of stages, which I believe only exist in the imagination, but shall

B 2

con-

confider it in those views which a change of symptoms fairly points out, which unprejudiced observation will find extremely simple, and to which my method of cure is adapted.

The feat of the disease, which has been the subject of dispute amongst men of great reputation for their phyfiological enquiries, is with me a matter of no great importance, as every part, which has been or can be rationally affigned its feat, is equally subject to my method of treatment. However, with great respect to these, I shall take the liberty of delivering my opinion, as it occurs from practical observation; tho', while it appears a mere matter of opinion, I should be the last person who would advance any thing positive on the subject.

The most prevailing opinions I believe are, that the feat of the disease is

in the Vesiculæ Seminales, prostrate, or Cowper's Glands; this may, no doubt, sometimes be the case, but not always. It is the obvious property of the venereal virus to attack the glands; this is evident from the sudden inflammation of the testes and inguinal glands, from a stoppage of the running by any injudicious treatment, &c. It is highly reasonable therefore to suppose, that all the lacunæ are subject to receive the infection, fo that many different parts of the urethra may be the original places of the virulent discharge. this is the case, the nearer the first seat of the running is to the neck of the bladder, the more the urethra will be affected, the more severe the symptoms, and the greater will be the quantity of the discharge, and, vice versa, for whatever part of the urethra it happens in, all between that and the neck of the bladder escape unhurt.

It is very certain, that the inflammation and heat of urine are frequently felt much nearer the external extremity of the urethra, than where authors contend for; and the situation of inflammation and pain may be always reasonably supposed the place of the discharge. I have had fome cases where the feat of the disease has been so near, as to be cured by the introduction of a feather dipped in the injection I shall hereafter mention: and this, indeed, was what first led me to differ in opinion, from others who confine themtelves to particular parts. As this, however, is a matter of no great consequence in the cure, I shall advance no more in favour of this subject, but leave it to be ascertained by men of superior abilities, and more leifure than I have for fuch enquiries.

The fymptoms arising from a fresh infection, as the titilation, heat of urine,

chor-

chordee, and acrimonious discharge from the urethra, is the first stage of the disease, which may be called the malignant: when the discharge is thicker, the dark margin disappears, and the heat of urine and chordee leave the patient, and an agreeable sensation is selt after urine, like what I have mentioned as the first symptom of infection; this I shall call the second stage of the disease, which is the mild healing state.

It will be necessary, previous to introducing a new practice, to give some account of the present methods, used by practitioners of Surgery in general.

It is common for some of the older practitioners, in the country in particular, to order drastic purges and mercurials.

Some furgeons have depended entirely on simple emollients, others order electuaries of nitre and cremor tartar, joined joined with gentle purgatives, and sometimes with camphor: another method is, to cure by injections of various compositions.

To give strong purges and mercurials in a state of the disease, which is merely local, and admits of proper remedies to be applied immediately to the part affected, appears very abfurd; nor can I fee why they are retained in practice, unless in blind obedience to custom. Instead of relieving the patient, both reason and experience teach, that they do manifest hurt; for, by frequently diminishing the discharge, they disturb nature in her curative intention, and, in all probability, cause an absorption of some of the infectious matter into the constitution, and produce a necessity, indeed, for a tedious course of internal remedies to perfect a cure; which otherwise would

lay the foundation for a confirmed Pox. Another objection, which will be acknowledged by all judicious furgeons is, that the continuance of strong purges will produce fuch a great relaxation, as to occasion those obstinate, and often incurable gleets, which numbers complain of, who have been treated in this manner. Besides these disagreeable circumstances, they often occasion indigestion, and other complaints in the stomach, the hæmorrhoids or piles, which frequently terminate in a fiftula in ano.

#### CASE I.

In which rough Treatment was used.

Was sent for to a patient, who had a great hæmorrhage of the penis, and had lost an immense quantity of blood. On examining, I found the greatest

greatest part of the glans penis in a state of mortification; he had nearly the appearance of a dead corpse, with purple spots on every part of his body. Upon enquiring, I found he had been very roughly treated by the furgeon who had the first management of his case: he had been drenched with strong purges and mercurial vomits, which had broke down the texture of his blood, and caused the present dreadful appearances. I immediately made use of styptic applications to the penis, by which means, and flight pressure, I stopped the hæmorrhage. I then defidered the apothecary (Mr. Bouquet in Queen Street, who had been called just before I saw the case) to make a strong decoction of bark, to which was joined elix. vitriol. acid. and an addition of the pulvis cort. peruv. This I ordered to be given in small quantities ve-

ry often, and at intervals ordered some of the confect. damocrat. to prevent its purging. This method I continued three days, when I perceived the spots in feveral parts to disappear, and a large part of the penis appeared a little loose; but I used no violence to remove the mortified part, as it would have endangered a fresh hæmorrhage. By continuing the method, he became confiderably better on the feventh day; but the putrid parts fmelt exceedingly offensive. On the eighth day, in the evening, I was called, and found him extremely faint, from loss of blood by a fresh hæmorrhage, which had not been perceived till I came. I made use of styptic applications as before, and fucceeded in stopping it a second time. But some days after the greatest part of the yard dropped off. I continued repeating the bark, &c. as before; and in

 $C_2$ 

about

When he had recovered sufficiently, I put him under a mild mercurial course, and by this means effected a cure. However, since that time I have heard, that the man was afflicted some time after with a disease of the lungs, of which he languished a considerable time, and died; and it is no improbable conclusion to imagine, that the foundation of this last disease was owing to rough treatment.

#### CASE II.

N officer in the navy, contracted a clap in England, and was ordered out to the East Indies in the fleet last war. The surgeon, who had the first care of him, gave him drastic purges and mercurials; the consequence of which was a very bad gleet. After

fuffering it between five or fix years, without gaining relief, he came home to England, and applied to different furgeons of character for his cure; the cold bath, bougies, and internal medicines for this purpose were used, but without any fuccess whatever, for the discharge was not in the least abated. This unhappy circumstance had such an effect on his mind, that it brought on a nervous disease, and he was reduced to almost the appearance of a skeleton when I last saw him, which is now near eight years; at which time, despairing of a cure, he went over to Ireland. I was witness to a number more fuch cases, which came under my own care during last war, which were in general incurable.

Emollients in this difease I have often found successful. By decoctions of marshmallows alone, in a great number of instances, I have succeeded in the cure. But although I have found it so successful, especially when joined with nitre, yet there is a very great objection to this method, as I have in a number of repeated instances observed.

To cure by the emollient method, the patient must drink very plentifully, two or three quarts in the day at least, and observe a very regular regimen. The consequence of which will be, in general, a relaxation of the sphineter of the bladder, and an incontinence of urine; or, if the patient escapes this, I have observed, that after the discharge of urine, some have suffered great pain at, or near the neck of the bladder, probably from a less degree of relaxation

for fome months. The same complaint has sometimes happened, when great quantities of diluting liquors have been drank, in which nitre has been dissolved.

### CASE.

Where an incontinence of Urine followed the Use of Emollients.

Gentleman applied to me for the cure of a fresh contracted Gonorrhæa, who had been treated by the emollient method in some former infection. He being young, and seemingly of a good constitution, I proposed putting him under this method of cure, and ordered him to drink three or sour quarts of the decoction of marshmallows every day; by which means the violent symptoms were soon relieved (which is certainly the common effects

of this method) and he living very regular, in about eight days the inflammatory fymptoms entirely left him; and by continuing the decoction, his cure was compleated in about three weeks. But the confequence of this method was an incontinence of urine; and notwithstanding all the common methods were used in such cases, as alum, vitriolic acids, &c. yet it was near three months before this complaint was cured.

Nitre joined with gentle cathartics, in the form of an electuary, I have known fucceed in curing great numbers; but it is apt to occasion very difagreeable cold fensations at the stomach, with great pain; which, however, I think may be easily remedied, by always giving the nitre in a dissol-

ved state. I am suspicious, that these effects of nitre in pills, boluffes, or electuaries, must have been the cause of that timorousness, which I have obferved in able practitioners, when they order this remedy. The generality of labouring people, and those who live very irregular, I have cured, by giving from half a drachm to a drachm of the nitre, rubbed with five grains of pulvis jalap. three times a day in warm water, increasing the quantity of the water in proportion to the nitre; but this method is rather tedious, the patient suffering the disagreeable complaint of scalding, or heat of urine, for two or three weeks or more; and if accompanied with a violent chordee sometimes longer. The method I propose, is calculated to immediately alleviate these symptoms; and if attended to in time, infallibly prevents any fuch complaints;

plaints; the cure goes on agreeable to the patient, and Nature is affifted in the manner she points out for the cure.

The method of curing by injection, is much superior to any other in this state of the disease, because its effects are immediately applied to the affected part; but I believe, that the injections, which are made use of in common, are not to be depended upon, at least those made publick; for fome furgeons have been fo mean, as to pretend to secrets of this fort. And, I believe, that the generality of furgeons give internal medicines, when they attempt the cure by this means.

In the composition of an injection, no astringent or drying drug should be made use of, as such are very dangerous: nor can I approve of powders in an injection; for tho' it is not very probable, yet it is not impossible,

that fome of the powder may get into the bladder, and if retained there, may form the nucleus of a stone. I have feen cases, where astringent injections have been used, in which the patients have been attacked with confirmed poxes a long time after the supposed cure. Others have been lucky enough to have complaints of an alarming nature, immediately on the checking or stopping the discharge, as buboes, swelled testicles, &c. And the same has happened where rough treatment has been used; which, in the course of an extensive practice, I have frequently observed. Nature of herself procures this discharge to carry off the disease; and if she is not interrupted, but asfisted by gentle means, the cure will be foon accomplished.

#### CASE

Where an improper Injection laid the foundation of a confirmed Pox.

R. W. a married man, applied to me for advice in a fore throat. Upon examination, I found the throat ulcerated, and he being rather feverish, I concluded it to be of the putrid malignant kind, which was the opinion of his physician, who ordered him the bark and elix. vitriol. acid. which he took for fome days without the least success. He being diffatisfied, I was fent for again; and upon a fecond examination, I began to suspect the case to be venereal; and told him my opinion: however, he denied having had any venereal infection for two years: on his applying for advice to two or three different physicians

cians and furgeons, and they all concluded it to be venereal. He had been treated, by the furgeon who first had him under care, by an injection, forme of which he had by him of ol. amygdal. and afterward by an aftringent of the vitriol. alb. diffolved in fome aq. rosar. which foon cured him, as he imagined: but instead of that, was the cause of a confirmed pox. I began the cure by bleeding, gave him a gentle purge, and fumigated the ulcers in the throat with cinnabar factit. and he being of a robust habit, I ordered him inwardly a decoction of farfap, and a proper portion of the corrof. fublim. diffolved: by a continuance of which, and he observing a regular diet, &c. his cure was accomplished in about nine weeks, and he has remained in good health ever fince.

The method of cure which I make use of, is by injection alone. This is composed of a mucilage of gum arab. argent viv. & ol. lin. p. exp. This is to be thrown up the urethra, three or four times a day, and retained in it eight or ten minutes at each time, gently pressing the whole passage. This injection lubricates and defends the urethra from the faline particles of urine, and conveys, at the same time, the remedy, which is the known specific in the disease, in one of its simplest forms. So that it is calculated not only to ease the severest symptoms, as being an artificial mucus to fupply that produced by Nature, of which she is deprived by the malignancy of the disease, but likewise attacks the disease itself.

The mischies occasioned by injudicious injections, have, I am sensible,

alarmed the apprehensions of mankind in general, and even of some sensible practitioners, and may, no doubt, create an objection to the use of them. But let them be affured, that these bad effects, as swelled testicles, buboes, &c. are absolutely always either caused by aftringents checking the discharge, or by some faline acrimonious particles increasing the inflammation. For repeated experience has convinced me, that even calomel and præcipit. alb. which are often used in this way, are corrosive to the tender membrane of the urethra in this inflamed state, and has produced alarming effects. What are the confequences of a folution of the corrofive sublimate injected, those who use it best can tell.

## C A S E.

Where a violent Inflammation was caused by an Injection of Oil and Calomel.

R. B. applied for the cure of a Gonorrhæa; and I having heard great encomiums of calomel and oil, by a gentleman who had made use of this method in a case or two with fuccess; and tho' I must acknowledge, I had no great opinion of calomel and præcip. alb. in an injection, as fuch preparations, however dulcified, still retain something of a saline quality; but having fucceeded in a few cases myself, I was induced to make further trials. I began the cure by this means, and the consequence was a violent inflammation in the whole body of the penis, and all the inflammatory symptoms

toms were increased. I left off any further use of the injection, and immediately purfued the cooling method, but it did not succeed; for immediately an inflammation of the testicle came on, which was very violent; and the running was entirely flopt; upon which I used the remedies in such cases, as plentiful bleeding, cooling medicines, and the mercurial ointment, to the part, &c. By that means, in a tedious manner, I cured the patient. But an induration of the testicles remained a long time afterwards.

I have never known the injection, which I have recommended, in an extensive practice, once to stop the discharge, nor does it increase the irritation, as it contains nothing stimulating. For argentum vivum, blended with mucilaginous substances, never has any fuch

fuch effect. Instead of the patient being tormented for a great number of days, and often weeks, with the fealding of urine, and the chordee (which is known to be the case in the common methods of cure) the symptoms are immediately relieved. Instead of a thin corrofive discharge for a length of time, a milder matter, more uniform in its colour and confistence, foon iffues from the passage, and all the difagreeable fymptoms are removed, except the discharge, which I generally leave to Nature.

The criterion to omit the injection, is at the commencement of the fecond stage, when rather an agreeable sensation, or itching, is selt in the passage after voiding urine: for although the running may continue a week or two longer after this, it is a matter of no consequence, as it gradually decreases

every day; and thus a mild, easy cure is effected, without any danger to the constitution. The continuance of the injection at this time cannot be of surther service, and may be detrimental; for the matter which issues at this time, may reasonably be looked on as mild and useful, as is the case in healing sores, which the injection would counteract.

## CASE.

Married gentleman, of rather a thin habit, applied to me for the cure of a fresh contracted Gonorrhæa. His complaints were a very great heat in discharge of urine and chordee, which was remarkably troublesome in the night. He had a copious running, which was very acrimonious, and the dark margin, I have before mentioned, was to be seen on

E 2

his

his linen. I began his cure by the injection, which was used four times a day, and it produced good effects in alleviating the fymptoms; the scalding gradually became less, and the chordee was not felt after the fixth or feventh day of injecting. However, I continued the injection, and about the twelfth day, the itching, which I have mentioned in the second stage of the disease, came on, and the matter shewed evident signs of its mildness. At this time I omitted the injection, and in about nine days after his cure was compleated. In about four months after he received a fresh infection, but by applying on the first fymptom, I cured him this time by the fame means in a few days, and no ill consequence has happened fince.

I believe it will be allowed, that in the common methods, three out of ten, at least, are attacked with some one or more of the complaints already mentioned, as buboes, swelled testicles, &c. but in all the cases which I have cured, not the least ill consequence has happened, except one, which was an induration of the perinæum, and which eafily gave way to an alterative of the fulph. præcip. antimon. & calomel; of each of these were taken two grains in a pill, night and morning.

I must observe, that in the first stage of the disease, I order the patients carefully to avoid colds, and excesses of all sorts; such as drinking, riding, and other hard exercises, &c. for these very often suddenly bring on similar effects to injudicious practice. Though patients, treated in my method, will be much less liable to the injuries arising

from

from such liberties, than where internal medicines are used. However, the risk of such accidents should by all means be shunned, if possible.

This then is the practice I have long used, and which has been attended with a quick and easy success. However, that success alone would never have prevailed on me to publish it as an improvement, unless my own practice had proved the tediousness, and ill consequences, I have already mentioned of the common methods.

## An Account of the New Invented Elastic MACHINE.

S there is lately discovered a Machine, which I have found very useful in the practice I have recommended in the Essay, I think it necessary to make the public acquainted with it.

The common and indeed only method hitherto known to convey any injection up the urethra, is by means of a fyringe; but as there are fome inconveniencies attending its use, I shall first mention these, and then explain the superior advantages of the Elastic Machine for this purpose.

When a fyringe is used, besides the inconveniency the patient is at in being obliged to have the injection in a bottle, if he does not understand its exact

F 2 use,

use, it is apt to occasion considerable pain at the time of forcing the injection through its pipe into the urethra; and fome patients, notwithstanding repeated attempts, can never use the fyringe properly. These inconveniencies are effectually avoided by the Elastic Machine; for it is so contrived, as to carry a confiderable quantity of the injection, indeed fufficient to perform a cure, which makes it very useful, not only to patients who travel, but likewise to those who cannot attend on their furgeon; and its contrivance is fo simple, that every person may manage it without giving himself any pain, and it never requires any repairing or alteration, as fyringes do, for it always preserves its elasticity.

The manner of using the Elastic Machine is as follows.

First, the Machine must be filled with injection; this is done by preffing the air out, and then applying its neck, or that part on which the pipes are fixed, to the liquid, the Machine being elastic, and enlarging its inward part, when the pressure is taken off, confequently will be filled with the injection, by the pressure of the external air on the liquid; when it is thus filled, the cap which screws on may be applied, if not intended for immediate use. When it is necessary to use the injection, the cap is to be taken off, and either of the pipes fixed on its neck (there being one long and the other of a flatten'd conic form) and introduced gently into the urethra, the body part of the Machine is then to be pressed,

pressed, and some of its contents will be discharged, which is to be retained in the urethra as before mentioned; the pipe is then to be taken off, and the cap screwed on, till it is necessary to repeat the injection, which may be done at the patient's pleasure, or according to the direction of the Surgeon.

The long pipe is to be used in those cases, where the infection and seat of the disease is supposed to be in the vagina, or near the prostrate glands, vesiculæ seminales, or neck of the bladder; and the short conic pipe when near the external end of the urethra, which last I believe is most commonly the case.

Another advantage attending this method of injection, besides those already mentioned, is its cleanliness, as it may be performed by every patient without soiling the place where it is used,

used, which disagreeable circumstance most commonly attends the use of the injecting syringe; and often tends to the discovery of a disease, which every patient would wish to conceal.

In the composition of the Machine, which comes from the Brazils, there is fomething very extraordinary, for no liquid whatever will destroy its elasticity; it has the appearance of glue, but more pliant than leather. I have feparately put into the Machine a quantity of strong spirit of vitriol, spirit of salt, and strong aqua fortis, which have no effect on it. Boiling in water for length of time has likewise no effect, except in making it more pliable. I have cut a ring off from the neck of the Machine, the diameter of which was about the eighth of an inch, I stretched it out to fix inches in length, and it immediately contracted itself to

near its first dimensions, when the force of extension was taken off. In stretching it beyond what I last mentioned, it nade confiderable refistance, and required very great force to break it, immediately upon which it contracted, and curled itself up, and upon meafuring it was two inches in length. Hence it is evident, what an amazing elasticity it is possessed of. It burns in a pure clear flame, and at the fame time diffolves; and in dropping fome of it thus diffolved while burning into water, it would not mix, but appeared like an oil, or balf. peruv. In examining these drops they are slightly adhefive, and appear rather oily than otherwife, being sufficient to stain paper thro' like common oils; laying fome on paper I endeavoured to dry it by the fire, but could not fucceed; and I canI cannot, by any means whatever, get one piece to unite with another.

The fize of these Elastic Machines are various, there are some large enough to contain a quart of liquid or more, but those which I use for the purpole of injection are small, very light, and will contain about two ounces. But hereafter I hope we shall have the history of this extraordinary substance, from a gentleman of distinguished knowledge in natural history, who has been at the place where it is produced. I believe it will be found of use in other machines, particularly the air pump, some trial of which will be shortly made.

I shall here make some few observations on a remedy called caustic alkali, which has been lately recommended in injection, as not only being possessed of properties to prevent, but likewise to cure the venereal infection, Some Theorists advance, that the venereal

G

nereal matter entangles itself with the mucus of the urethra or vagina, and therefore cannot be removed by the injection of watry fluids, which have no power in disfolving the mucus. But as caustic alkali, say they (which should not be fo strong as to excite a pungency to the taste) dissolves this mucus if injected, it will bring it away with the venereal matter, and it is by this property that it performs the cure; but how greatly abfurd must it be to suppose, that because a lixivious lotion will remove the venereal infection before any fymptoms of virulency come on, by mixing with the mucus, in the urethra or vagina, that the same remedy will cure the disease in a state of inflammation? Its effects I have known dangerous, and not to be depended on. Let any unprejudiced person make trial of it when the venereal symptoms appear, and

and he will find, that it will cause an exquisite smarting pain, similar to that which may be observed from soap and water on any sore, and either in general cause a swelled testicle, or bubo; or by stopping the discharge lay the foundation of a confirmed pox.

It is owing to fuch injections that this method of cure has been condemned, being, for the most part, productive of disagreeable consequences; which is never the case in my method. Tho there are too many felf-interested men, who take a pleafure in endeavouring to condemn every thing which is not of their own invention, and that without any trial: I shall leave such to indulge themselves in their notions, and follow their own methods of cure, for it is as easy to remove mountains as fixed prejudices.

Just Published, Price One Shilling and Six-pence,

N ESSAY on the Cure of ULCERATED LEGS, without Reft; exemplified by a number of Cases, in which laborious Exercise was used during the Cures. The second Edition, with new Observations and Improvements.

## By WILLIAM ROWLEY, SURGEON

Printed for F. NEWBERY, No. 20, the Corner of St. Paul's Church Yard.

Where may be had, by the fame Author,
Price One Shilling,

An ESSAY on the Inflammations of the Eyes, and the Diseases of the transparent Cornea, with improvements in the methods of Cure.

kan en handerinaligening fak Til englædering nami ligetik

Barrier it addition to the second

Ag at the









COUNTWAY LIBRARY OF MEDICINE RC

200 A2 R7

1772

RARE BOOKS DEPARTMENT

